

**RECEIVED
CENTRAL FAX CENTER**

FEB 10 2006

CUSTOMER NO. 32.986
IP STRATEGY GROUP, P.C.
Intellectual Property Law Office
P.O. Box 700640
San Jose, CA 95170-0640

PATENT APPLICATION
ATTORNEY DOCKET NO. LMRX- P026/P1068

**IN THE
UNITED STATES PATENT & TRADEMARK OFFICE**

Applicant: Hao et al.

Examiner: Jimenez, Marc

Application No. 10/672,085

Group No. 3726

Filed: September 26, 2003

Confirmation No. 7062

Title: METHODS AND APPARATUS FOR
OPTIMIZING THE DELIVERY OF
A SET OF GASES IN A PLASMA PROCESSING
SYSTEM

CERTIFICATE OF FACSIMILE TRANSMISSION
I hereby certify that this correspondence is being faxed to the
USPTO at 571-273-8300 on February 10, 2006.
1 PAGE TOTAL, (inclusive).

Signed: /Alma Fazlic/
Alma Fazlic

RESPONSE TO COMMUNICATION MAILED 12/14/2005

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Dear Examiner:

In response to the Restriction Requirement dated December 14, 2005, Applicants hereby elect, with traverse, Group I claims 1-29 to prosecute in the above-identified patent application. Further, Applicants elect Species A (metal conduit is stainless steel), Species D (thermoplastic tubular is PTFE), and Species I (resin material is PTFE) for prosecution in the above-identified patent application. Applicants consider the claims that recite, in the manner claimed in claims 1 and 19 (such as the generic metal conduit, the generic thermoplastic, and the generic resin material) to be patentable. Accordingly, while Species A, D, and I are selected for prosecution purposes, the allowance of the generic claim should render all species allowable.

If any fees are due in connection with the filing of this Response to Restriction Requirement, the Commission is hereby authorized to charge such fees to Deposit Account No. 50-2284 (Order No. LMRX-P026).

Respectfully submitted,
/Joseph A. Nguyen/ Reg. No. 37,899
Joseph A. Nguyen